

**HANDLING**

- Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not get this material in contact with eyes. Avoid inhalation of vapors and spray mists. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

**STORAGE**

- Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

**DISPOSAL**

- Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

**FEATURES**

- Precision rolling ball, stainless steel tip
- Rubber bulb flow control
- Ergonomically correct marker that enables you to mark at all angles, even upside down

**MATERIALS COMPATIBILITY**

- Safe on most surfaces
- Surface test should be run to determine compatibility prior to use

**PHYSICAL PROPERTIES**

<b>Appearance / Physical State</b>	Liquid
<b>Odor</b>	Mild. Sweet. Pungent.
<b>Flash Point</b>	31.0 °F (-0.6 °C)
<b>Boiling Point / Range</b>	131 - 316 °F (55 - 157.78 °C)
<b>Evaporation Rate</b>	> 1 (BuAc = 1)
<b>Vapor Density</b>	> 1 (Air = 1)

**AVAILABLE IN**

Color	Marker Tip	Units/Case	Part #
white	fine, steel	48	13080
black	fine, steel	48	13030
yellow	fine, steel	48	13060