



# SAFETY DATA SHEET

Issuing Date 16-Sep-2014

Revision Date 16-Sep-2014

Revision Number 0

## Section 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Name** Sudz Off (Detergent Removable) All Colors  
**Part Number** Black (44985, 91985), Blue (44938, 91938), Green (44371, 91371), Red (44939, 91939),  
 White (44146, 91146), Yellow (44694, 91694)  
**Formula Code** Z985 (Black), X938 (Blue), Y371 (Green), X939 (Red), Z146 (White), Z694 (Yellow)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Solvent based marker  
**Uses advised against** No information available

### 1.3. Details of the supplier of the safety data sheet

<b>Importer</b> (5511) 4785.2600	<b>Supplier</b> ITW PRO BRANDS 805 E. Old 56 Highway Olathe, KS 66061 TEL: 1-800-443-9536
-------------------------------------	---

### For further information, please contact

**E-mail Address** cservice@itwprobrands.com

### 1.4. Emergency telephone number

**Emergency Telephone Number** 800-535-5053 Infotrac

<b>Europe</b>	112
---------------	-----

## Section 2. Hazards identification

### 2.1. - Classification of the substance or mixture

#### REGULATION (EC) No 1272/2008

Acute Oral Toxicity	Category 4
Acute Dermal Toxicity	Category 4
Serious Eye Damage/Eye Irritation	Category 1
Specific Target Organ Systemic Toxicity (Single Exposure)	Category 3

#### Physical Hazards

Flammable liquids	Category 3
-------------------	------------

#### Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16

The preparation is classified as dangerous in accordance with Directive 1999/45/EC.

**Symbol(s)** Xi - Irritant  
**R-code(s)** R10 - Xi;R41 - R67

### 2.2. Label Elements



**Signal Word**

**Danger**

**Hazard Statements**

- H302 - Harmful if swallowed
- H312 - Harmful in contact with skin
- H318 - Causes serious eye damage
- H336 - May cause drowsiness or dizziness
- H226 - Flammable liquid and vapor
- EUH210 - Safety data sheet available on request

**Precautionary Statements - EU (§28, 1272/2008)**

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

**Precautionary Statements**

- P264 - Wash face, hands and any exposed skin thoroughly after handling
- P270 - Do not eat, drink or smoke when using this product
- P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell
- P330 - Rinse mouth
- P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
- P363 - Wash contaminated clothing before reuse
- P322 - Specific measures (see supplemental first aid instructions on this label)
- P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 - Immediately call a POISON CENTER or doctor/ physician
- P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray
- P271 - Use only outdoors or in a well-ventilated area
- P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
- P312 - Call a POISON CENTER or doctor/ physician if you feel unwell
- P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
- P405 - Store locked up
- P501 - Dispose of contents/ container to an approved waste disposal plant
- P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
- P240 - Ground/Bond container and receiving equipment
- P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment
- P242 - Use only non-sparking tools
- P243 - Take precautionary measures against static discharge
- P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection
- P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower
- P403 + P235 - Store in a well-ventilated place. Keep cool

**2.3. Other information**

**Section 3. Composition/information on ingredients**

**3.1. Substances**

Not applicable

**3.2. Mixtures**

Chemical Name	EC-No	CAS-No	Weight %	Classification	EU - GHS Substance Classification	REACH No.
Propanol	Present	71-23-8	60-100	F; R11 Xi; R41 R67	Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Dam. 1 (H318)	No data available
Titanium dioxide	236-675-5	13463-67-7	15-40	-		No data available
Diacetone alcohol	Present	123-42-2	7-13	Xi; R36	Eye Irrit. 2 (H319)	No data available
Silicon dioxide	Present	7631-86-9	3-7	-		No data available
Aluminum hydroxide	244-492-7	21645-51-2	1-5	-		No data available

**For the full text of the R-phrases mentioned in this Section, see Section 16**

**For the full text of the H-Statements mentioned in this Section, see Section 16**

## Section 4. First aid measures

**4.1. Description of first-aid measures****General Advice**

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. If symptoms persist, call a physician.

**Eye Contact**

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediate medical attention is required.

**Skin Contact**

Flush with cool water. If skin irritation persists, call a physician.

**Ingestion**

Rinse mouth. Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary

**Inhalation**

Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

**Protection of First-aiders**

Remove all sources of ignition. Use personal protective equipment.

**4.2. Most important symptoms and effects, both acute and delayed**

**Most Important Symptoms/Effects** No information available.

**4.3. Indication of immediate medical attention and special treatment needed****Notes to Physician**

Treat symptomatically.

## Section 5. Fire-fighting measures

**5.1. Extinguishing media****Suitable Extinguishing Media**

Dry chemical. Carbon dioxide (CO<sub>2</sub>). Foam.

**Extinguishing media which must not be used for safety reasons**

Water.

**5.2. Special hazards arising from the substance or mixture**

**Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases**  
Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks).

**5.3. Advice for firefighters**

**Special protective equipment for fire-fighters**

As in any fire, wear self-contained breathing apparatus and full protective gear.

**Section 6. Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment. Stop leak if you can do it without risk.

**6.2. Environmental precautions**

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.

**6.3. Methods and materials for containment and cleaning up**

Small spillage: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Large spillage: Pump or vacuum transfer spilled product to clean containers for recovery. Absorb unrecoverable product.

**6.4. Reference to other sections**

See Section 12 for additional information.

**Section 7. Handling and storage**

**7.1. Precautions for Safe Handling**

**Handling**

Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Avoid contact with skin, eyes and clothing. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep away from open flames, hot surfaces and sources of ignition. Keep away from incompatible materials. Keep containers tightly closed in a cool, well-ventilated place. Keep out of the reach of children. Keep container closed when not in use.

**7.3. Specific end use(s)**

**Exposure Scenario**

No information available.

**Other Guidelines**

No information available.

**Section 8. Exposure controls/personal protection**

**8.1. Control parameters**

**Exposure Limits**

Chemical Name	EU	The United Kingdom	France	Spain	Germany
---------------	----	--------------------	--------	-------	---------

Propanol 71-23-8		STEL: 250 ppm STEL: 625 mg/m <sup>3</sup> TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> Skin	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup>	S* STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup> TWA: 200 ppm TWA: 500 mg/m <sup>3</sup>	
Titanium dioxide 13463-67-7		STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup>	VME: 10 mg/m <sup>3</sup>	VLA-ED: 10 mg/m <sup>3</sup>	
Diacetone alcohol 123-42-2		STEL: 75 ppm STEL: 362 mg/m <sup>3</sup> TWA: 50 ppm TWA: 241 mg/m <sup>3</sup>	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup>	TWA: 50 ppm TWA: 241 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 96 mg/m <sup>3</sup> Ceiling / Peak: 40 ppm Ceiling / Peak: 192 mg/m <sup>3</sup> Skin
Silicon dioxide 7631-86-9		STEL: 18 mg/m <sup>3</sup> STEL: 7.2 mg/m <sup>3</sup> TWA: 6 mg/m <sup>3</sup> TWA: 2.4 mg/m <sup>3</sup>			TWA: 4 mg/m <sup>3</sup>
Aluminum hydroxide 21645-51-2		TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup>			TWA: 4 mg/m <sup>3</sup> TWA: 1.5 mg/m <sup>3</sup>
<b>Component</b>	<b>Italy</b>	<b>Portugal</b>	<b>The Netherlands</b>	<b>Finland</b>	<b>Denmark</b>
Propanol 71-23-8 ( 60-100 )		STEL: 400 ppm TWA: 200 ppm		TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 250 ppm STEL: 620 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> Skin
Titanium dioxide 13463-67-7 ( 15-40 )		TWA: 10 mg/m <sup>3</sup>			TWA: 6 mg/m <sup>3</sup>
Diacetone alcohol 123-42-2 ( 7-13 )		TWA: 50 ppm		TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> STEL: 75 ppm STEL: 360 mg/m <sup>3</sup>	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup>
Silicon dioxide 7631-86-9 ( 3-7 )				TWA: 5 mg/m <sup>3</sup>	
Aluminum hydroxide 21645-51-2 ( 1-5 )			TWA: 0.05 mg/m <sup>3</sup>		
<b>Chemical Name</b>	<b>Austria</b>	<b>Switzerland</b>	<b>Poland</b>	<b>Norway</b>	<b>Ireland</b>
Propanol 71-23-8	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup>	Skin TWA: 200 ppm TWA: 500 mg/m <sup>3</sup>	STEL: 600 mg/m <sup>3</sup> TWA: 200 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 245 mg/m <sup>3</sup> Skin STEL: 150 ppm STEL: 306.25 mg/m <sup>3</sup>	TWA: 100 ppm STEL: 300 ppm Skin
Titanium dioxide 13463-67-7	STEL 10 mg/m <sup>3</sup> MAK: 5 mg/m <sup>3</sup>	MAK: 3 mg/m <sup>3</sup>	NDSch: 30 mg/m <sup>3</sup> NDS: 10.0 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup>
Diacetone alcohol 123-42-2	Skin TWA: 50 ppm TWA: 240 mg/m <sup>3</sup>	Skin STEL: 40 ppm STEL: 192 mg/m <sup>3</sup> TWA: 20 ppm TWA: 96 mg/m <sup>3</sup>	TWA: 240 mg/m <sup>3</sup>	TWA: 25 ppm TWA: 120 mg/m <sup>3</sup> STEL: 37.5 ppm STEL: 150 mg/m <sup>3</sup>	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> STEL: 75 ppm STEL: 360 mg/m <sup>3</sup>
Silicon dioxide 7631-86-9	TWA: 4 mg/m <sup>3</sup> TWA: 0.3 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup> TWA: 0.3 mg/m <sup>3</sup>		TWA: 1.5 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup> TWA: 2.4 mg/m <sup>3</sup>
Aluminum hydroxide 21645-51-2	STEL 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup> TWA: 1.2 mg/m <sup>3</sup>		TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup>

**Derived No Effect Level** No information available  
**Predicted No Effect Concentration (PNEC)** No information available.

**8.2. Exposure controls**

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.  
**Personal protective equipment**

<b>Eye Protection</b>	Safety glasses with side-shields. If splashes are likely to occur, wear: Chemical splash goggles.
<b>Skin and Body Protection</b>	Risk of contact: Boots. Apron.
<b>Hand Protection</b>	Chemical resistant gloves
<b>Respiratory Protection</b>	No special protective equipment required. If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

**Environmental Exposure Controls** Do not allow material to contaminate ground water system.

**Section 9. Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid.	<b>Appearance</b>	Thin viscosity, Varies.
<b>Odor</b>	Alcohol.		

<u>Property</u>	<u>Values</u>	<u>Remarks/ - Method</u>
<b>pH</b>	No data available	None known
<b>Melting Point/Range</b>	No data available	None known
<b>Boiling Point/Boiling Range</b>	97.22 °C / 207 °F	None known
<b>Flash Point</b>	25 °C / 77 °F	Tag closed cup
<b>Evaporation rate</b>	1.3 (BuAc = 1)	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Vapor Pressure</b>	No data available	None known
<b>Vapor Density</b>	> 1 (air = 1)	None known
<b>Relative Density</b>	< 1 @ 70°F	None known
<b>Water Solubility</b>	70-80%	None known
<b>Solubility in other solvents</b>	No data available	None known
<b>Partition coefficient: n-octanol/water</b>	No data available	None known
<b>Autoignition Temperature</b>	No data available	None known
<b>Decomposition Temperature</b>	No data available	None known
<b>Viscosity</b>	No data available	None known
<b>Flammable Properties</b>	Flammable; may be ignited by heat, sparks or flames.	
<b>Explosive Properties</b>	No information available	
<b>Oxidizing Properties</b>	No information available	

**9.2. Other information**

<b>VOC Content (%)</b>	Z985 Black: 88% X939 Red: 92.12% X938 Blue: 89.65% Z146 White: 49.16% Y371 Green: 91.25% Z694 Yellow: 49.22%
<b>VOC (g/l)</b>	Z985 Black: 791 g/L X939 Red: 771 g/L X938 Blue: 737 g/L Z146 White: 564 g/L Y371 Green: 750 g/L Z694 Yellow: 568 g/L
<b>Flammability Limits in Air</b>	
<b>Upper</b>	13.7
<b>Lower</b>	2.1

**Section 10. Stability and reactivity**

**10.1. Reactivity**  
No data available.

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

None under normal processing.

**10.4. Conditions to avoid**

Heat, flames and sparks. Incompatible products.

**10.5. Incompatible materials**

Strong oxidizing agents. Strong reducing agents. Strong alkalis. Strong acids.

**10.6. Hazardous decomposition products**

Carbon oxides. Soot. Smoke

**Section 11. Toxicological information**

**11.1.**

**Acute Toxicity**

**Product Information**

**Inhalation**

May cause drowsiness and dizziness. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal

**Eye Contact**

Causes serious eye irritation. Causes serious eye damage.

**Skin Contact**

Harmful in contact with skin.

**Ingestion**

Harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Propanol	= 1870 mg/kg ( Rat )	= 4049 mg/kg ( Rabbit )	> 13548 ppm ( Rat ) 4 h
Titanium dioxide	> 10000 mg/kg ( Rat )		
Diacetone alcohol	= 4 g/kg ( Rat )	= 13500 mg/kg ( Rabbit )	
Silicon dioxide	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	>2.2 mg/L ( Rat ) 4 h
Aluminum hydroxide	> 5000 mg/kg ( Rat )	-	-

**Sensitization**

No information available.

**Mutagenic Effects**

No information available.

**Carcinogenic Effects**

No information available.

**Reproductive Toxicity**

No information available.

**Developmental Toxicity**

No information available.

**STOT - single exposure**

No information available.

**STOT - repeated exposure**

No information available.

**Target Organ Effects**

Blood. Central nervous system (CNS). Eyes. Gastrointestinal tract (GI). Kidney. Liver. Lungs. Respiratory system. Skin.

**Aspiration Hazard**

No information available.

**Section 12. Ecological information**

**12.1. Toxicity**

**Ecotoxicity Effects**

Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Propanol		LC50 96 h: = 4480 mg/L flow-through (Pimephales promelas)	EC50 = 17700 mg/L 5 min EC50 = 45000 mg/L 5 h EC50 = 8686 mg/L 15 min EC50 = 980 mg/L 12 h	EC50 48 h: = 3642 mg/L (Daphnia magna) EC50 48 h: 3339 - 3977 mg/L Static (Daphnia magna)

Diacetone alcohol		LC50 96 h: = 420 mg/L static (Lepomis macrochirus) LC50 96 h: = 420 mg/L (Lepomis macrochirus)		EC50 24 h: = 8750 mg/L (Daphnia magna)
Silicon dioxide	EC50 72 h: = 440 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h: = 5000 mg/L static (Brachydanio rerio)		EC50 48 h: = 7600 mg/L (Ceriodaphnia dubia)

**12.2. Persistence and degradability**

No information available.

**12.3. Bioaccumulative potential.**

Chemical Name	Log Pow
Propanol	0.25 - 0.34
Diacetone alcohol	1.03

**12.4. Mobility in soil**

Adsorbs on soil.

**12.5. Results of PBT and vPvB assessment**

No information available.

**12.6. Other adverse effects**

This product does not contain any known or suspected endocrine disruptors.

**Section 13. Disposal considerations**

**13.1. Waste treatment methods**

**Waste from Residues / Unused Products**

Dispose of in accordance with local regulations.

**Contaminated Packaging**

Empty containers should be taken to an approved waste handling site for recycling or disposal.

**Other Information**

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

**Section 14. Transport information**

**IMDG/IMO**

<b>14.1. UN-Number</b>	UN1263
<b>14.2. Proper Shipping Name</b>	Paint
<b>14.3. Hazard Class</b>	3
<b>14.4. Packing Group</b>	III
<b>Description</b>	UN1263, Paint, 3, III, (25°C c.c.)
<b>14.5. Marine Pollutant</b>	None.
<b>14.6. Special Provisions</b>	None.
<b>EmS No.</b>	F-E, S-E



14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available.

**RID**

14.1. UN-Number UN1263  
 14.2. Proper Shipping Name Paint  
 14.3. Hazard Class 3  
 14.4. Packing Group III  
 Description UN1263, Paint, 3, III  
 14.5. Environmental hazard None.  
 14.6. Special Provisions None.  
 Classification Code F1

**ADR**

14.1. UN-Number UN1263  
 14.2. Proper Shipping Name Paint  
 14.3. Hazard Class 3  
 14.4. Packing Group III  
 Description UN1263, Paint, 3, III, (D/E)  
 14.5. Environmental hazard None.  
 14.6. Special Provisions None.  
 Classification Code F1  
 Tunnel Restriction Code (D/E)

**ICAO**

14.1. UN-Number UN1263  
 14.2. Proper shipping name Paint  
 14.3. Hazard Class 3  
 14.4. Packing Group III  
 Description UN1263, Paint, 3, III  
 14.5. Environmental hazard None.  
 14.6. Special Provisions None.

**IATA**

14.1. UN-Number UN1263  
 14.2. Proper Shipping Name Paint  
 14.3. Hazard Class 3  
 14.4. Packing Group III  
 Description UN1263, Paint, 3, III  
 14.5. Environmental hazard None.  
 14.6. Special Provisions None.  
 ERG Code 3L

**Section 15. Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

TSCA -  
 EINECS/ELINCS -  
 DSL/NDSL -  
 PICCS -  
 ENCS -  
 IECSC -  
 AICS -  
 KECL -

**Legend**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances  
**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances

**15.2. Chemical Safety Assessment**

No information available

**Section 16. Other information**

**Full text of R-phrases referred to under Sections 2 and 3**

R11 - Highly flammable  
R67 - Vapors may cause drowsiness and dizziness  
R41 - Risk of serious damage to eyes  
R36 - Irritating to eyes  
R10 - Flammable

**Full text of H-Statements referred to under sections 2 and 3**

H319 - Causes serious eye irritation  
H225 - Highly flammable liquid and vapor  
H336 - May cause drowsiness or dizziness  
H318 - Causes serious eye damage  
H226 - Flammable liquid and vapor  
H302 - Harmful if swallowed  
H312 - Harmful in contact with skin  
EUH210 - Safety data sheet available on request

**Key literature references and sources for data**

[www.ChemADVISOR.com/](http://www.ChemADVISOR.com/)

<b>Issuing Date</b>	16-Sep-2014
<b>Revision Date</b>	16-Sep-2014
<b>Revision Note</b>	Initial Release.

**This safety data sheet complies with the requirements of Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No. 1907/2006**

**General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**